

Michigan
Adult Treatment Protocols
SPINAL INJURY ASSESSMENT

Date: July 18, 2014

Page 1 of 2

Spinal Injury Assessment

Pre-Medical Control

MFR/EMT/SPECIALIST/PARAMEDIC

1. Follow **General Pre-hospital Care protocol**.
2. Assess the mechanism of injury.
3. A patient with a negative mechanism does not need a spine injury clinical assessment
4. Patients with mechanism of injury with the potential for causing spine injury shall have a spine injury clinical assessment performed.
5. Clinical criteria are used as the basis for assessment. If any of the clinical criteria are present or if the assessment cannot be completed, the patient has a positive spine injury assessment.
6. If the mechanism of injury with the potential for causing spine injury exists, the following clinical criteria are assessed:
 - A. Altered mental status
 - B. Use of intoxicants
 - C. Significant distracting painful injury
 - D. Motor and/or sensory deficit
 - E. Spine pain and/or tenderness
7. If any of the clinical criteria are present the patient has a positive spine injury assessment. If none of the clinical criteria are present the patient has a negative spine injury assessment.
8. Patients with a positive spine injury assessment should have spinal precautions maintained during movement and transport. Refer to **Spinal Precautions Procedure**.
9. Patients over the age of 65 with a mechanism of injury with the potential for causing spine injury will have a cervical collar applied even if the spinal injury clinical assessment is negative. Refer to **Spinal Precautions Procedure**.

Michigan
Adult Treatment Protocols
SPINAL INJURY ASSESSMENT

Date: July 18, 2014

Page 2 of 2

